


Link 350

Semirotary Offset Label Printing Machine



Features

- ▶ unwind
- ▶ automatic web tension control
- ▶ web guide
- ▶ semi rotatry offset printing units
- ▶ rewind

Options

- ▶ semi rotary die cut unit
- ▶ flat bed die cut unit


- ▶ semi rotary flexo printing unit
- ▶ semi rotary embossing unit
- ▶ semi rotary cold foil unit
- ▶ semi rotary hot foil stamping unit
- ▶ flat bed hot foil stamping unit
- ▶ screen printing
- ▶ lamination unit
- ▶ semi rotary reverse printing unit flexo printing
- ▶ semi rotary reverse printing unit letterpress



Grafische Systeme Volker Schischke Handelsgesellschaft mbH
Nikolaus-Otto-Straße 8 • D-40670 Meerbusch
Telefon +49 (0) 2159 - 696490 • info@grafische-systeme.com
www.grafische-systeme.com


Link 350

Semirotary Offset Label Printing Machine



Offset printing unit

- ▶ ink fountain keys (Option: motorised zonal adjustment)
- ▶ automatic wash-up system
fully automatic washing procedure with adjustable washing cycles
- ▶ 3 pcs. water cooled oscillation rollers
- ▶ 4 pcs. inking rollers
- ▶ water cooled impression drum
- ▶ dumpening rollers and inking rollers adjustable proportional to speed
- ▶ ductor roller speed adjustable, ink transfer adjustable
- ▶ unit is controlled by 8 servo motors
- ▶ motorised longitudinal register
- ▶ motorised cross register
- ▶ motorised diagonal adjustment
- ▶ motorised impression cylinder adjustment
- ▶ main panel for all adjustments and operator's panel for each printing unit including start/stop and speed



Grafische Systeme Volker Schischke Handelsgesellschaft mbH
 Nikolaus-Otto-Straße 8 • D-40670 Meerbusch
 Telefon +49 (0) 2159 - 696490 • info@grafische-systeme.com
www.grafische-systeme.com

Link 350

Semirotary Offset Label Printing Machine




semirotary flexo printing unit



automatic printing unit processes minimize waste

- ▶ print stop:
 - 1 4 inking rollers lift off
 - 2 impression cylinder lowers, paper feeding stops
 - 3 plate cylinder and blanket cylinder lowers
 - 4 dumpening roller lift off
- ▶ all rollers and cylinders keep on turning
- ▶ print start:
 - 1 dumpening roller drives on plate
 - 2 inking rollers drive on plate, all of four together or each sole in programmable sequence
 - 3 blanket cylinder drives on plate
 - 4 impression cylinder starts printing / paper feeding starts




Roller wash-up system

fully automatic washing procedure with adjustable washing cycles



NEW !!
semirotary
hot foil
stamping
unit



Grafische Systeme Volker Schischke Handelsgesellschaft mbH
Nikolaus-Otto-Straße 8 • D-40670 Meerbusch
Telefon +49 (0) 2159 - 696490 • info@grafische-systeme.com
www.grafische-systeme.com

Link 350

Semirotary Offset Label Printing Machine




Technical Data

web width	350mm
printing width	330 mm
printing length	360 mm
printing speed	200 p/min
	12.000 p/h
	(72 m/min)
core diameter unwind	76 mm
max. roll diameter	700 mm
unwind and rewind dancer controlled	
web tension effective between unwind shaft and rewind shaft	



11.2023 • subject to alteration



Grafische Systeme Volker Schischke Handelsgesellschaft mbH
 Nikolaus-Otto-Straße 8 • D-40670 Meerbusch
 Telefon +49 (0) 2159 - 696490 • info@grafische-systeme.com
www.grafische-systeme.com